



S.P.M. s.r.l.

**Full automatic wet
bench for solar cells
texturing**



INTRODUCTION

S.P.M. s.r.l. Texturing wet bench is composed by:


- ▣ 1 process tank KOH – RT/60°C
- ▣ 3 QDR
- ▣ 1 process tank HF+HNO₃ RT/9°C cooled
- ▣ 2 process tank KOH+IPA RT/70-85°C
- ▣ 1 process tank HF+HCL RT
- ▣ 2 cascade rinse tank for final rinse with resistivity meter
- ▣ 1 dryer with hot H₂O DI and hot air

The machine is controlled by an OMRON PLC and an industrial pc with embedded 15" touch screen. The software is made with WONDERWARE InTouch, that is a leader program for SCADA.






SOLAR TEXTURING: front view






SOLAR TEXTURING: front view





SOLAR TEXTURING: lateral view







SOLAR TEXTURING: Loading


Optical barrier

Conveyor for 4 carriers







SOLAR TEXTURING: inside view




SOLAR TEXTURING: Tank A-B



SOLAR TEXTURING: Tank C-D-E




SOLAR TEXTURING: Tank F-G-H-I-J






SOLAR TEXTURING: dryer






SOLAR TEXTURING: Unload

PNE transferrer




3 carriers
Conveyor






SOLAR TEXTURING: Robot arms




© S.P.M. Italy s.r.l. - Solar Texturing - Version Apr. 2009

SOLAR TEXTURING: Water group (module 1)




SOLAR TEXTURING: Water group (module 2)



© S.P.M. Italy s.r.l. - Solar Texturing - Version Apr. 2009

SOLAR TEXTURING: Water group (module 3)




SOLAR TEXTURING: Water group (module 4)



GEMU® PNE membrane valves

Centrifugal pump

H2ODI Recovery tank



SOLAR TEXTURING: External heat exchanger



© S.P.M. Italy s.r.l. - Solar Texturing - Version Apr. 2009